



Product Lifecycles

enaio®

Version 10.10

Last update: 5/12/2025

All software products and all related programs and functions are registered and/or used trademarks of OPTIMAL SYSTEMS GmbH, Berlin, or one of its companies. They may only be used with a valid license agreement. The software and its associated documentation are protected by German and international copyright law. Unauthorized duplication and sales is plagiarism and shall be subject to criminal prosecution. All rights reserved, including reproduction, transmission, translation, and storage with/on all kinds of media. For all preconfigured test scenarios or demo presentations: all company names and persons appearing in examples (screenshots) are fictitious. Any similarities to existing companies or persons is purely coincidental and unintentional.

Care has been taken in the compilation of text and illustrations. However, we cannot completely exclude errors. The publisher and author cannot accept any liability or legal responsibility for incorrect or incomplete information or for the consequences thereof. Only individual quotes are binding.

Code examples contained in documentations serve to clarify functionalities and cannot be adopted without reviewing and adjusting them. Examples of code are shown with line breaks, for example, which are not allowed in the respective programming language, for a clearer presentation. For this reason, OPTIMAL SYSTEMS does not assume any liability for examples of code.

Copyright: 1992-2025

OPTIMAL SYSTEMS GmbH

Cicerostraße 26

D-10709 Berlin



Table of Contents

enaio® Product Lifecycle Information	4
enaio® version 10.10 End of Life Information	4
Upcoming Discontinuations for enaio® Versions 11.0 and Later	25

enaio® Product Lifecycle Information

The following pages contain information about enaio® products that are no longer supported and upcoming discontinuations for version 10.10 .

enaio® version 10.10 End of Life Information

Hinweis: With the release of enaio® version 10.10 on 8 July 2022, the following versions are currently undergoing maintenance: version 9.10, version 10.0, and version 10.10.

Version Information

Release	End of life date
10.0	With the release of version 11.0 on 30 June 2023.
9.10	With the release of version 11.0 on 30 June 2023.
9.0 SP1	With the release of version 10.0 on 31 May 2021.
8.50 SP1	With the release of version 10.0 on 31 May 2021.
8.10 SP1	Since 2019 with the release of version 9.0.
8.0	Since 2018 with the release of version 8.50.

General

axlabdms.exe (server directory)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)

Note:	This EXE was located directly in the server directory or Win32 for Server64. The functionality of the EXE for testing server jobs is sufficiently covered by <code>AxLabJobs.exe</code> (also from the server directory).
Upgrade recommendation:	Use <code>AxLabJobs.exe</code> .
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Will be removed from the setup.
Note on functionality after lifecycle end:	Code no longer available.

`axoutlookpreview.exe`

Type of lifecycle end:	
Lifecycle ends with:	
Note:	
Upgrade recommendation:	Function in enaio®.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Component no longer available.
Notes on functionality after lifecycle end:	No longer available as of enaio® version 10.0, replaced by enaio® preview

IHE archive driver

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
-------------------------------	--

Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Notes:	
Upgrade recommendation:	n. a.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Component no longer available.
Notes on functionality after lifecycle end:	

IXOS

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Notes:	
Upgrade recommendation:	Use of a different LTA solution.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Component no longer available.
Notes on functionality after lifecycle end:	

enaio® Licensed Product

axacdirectorysync, "synchronization directory" configuration, directory synchronization automatic action (with graphic configuration) in enaio® (1 June 2016)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
-------------------------------	--

Lifecycle ends with release:	enaio® version 8.50 (1 June 2016)
Note:	Discontinued since there is a technical successor. The software will continue to be maintained until version 8.50. From version 8.50, only the technical successor product will continue to be developed and maintained.
Upgrade recommendation:	Use the alternative automatic action available since version 8.10 for directory synchronization with XSLT in new projects. Convert existing projects to the automatic action mentioned above from version 8.50 at the latest.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Will be removed from the setup for version 9.0.
Note on functionality after lifecycle end:	Code removed in version 8.50, technical successor in setup

PDF/A check automatic action (axacpdfa.dll) and server job CNV.CheckPDFa

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Note:	The old version of pdfaPilot from 2007 will no longer be used.

Upgrade recommendation:	The component will be removed and will not be replaced. Hinweis: Remove automatic actions that use the <code>axacpdfa.dll</code> , as well as the entry <code>axacpdfa.dll</code> from the "Additions" (general enaio® configuration), in enaio® administrator, if available.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Will be removed from the setup.
Note on functionality after lifecycle end:	Code no longer available.

Import of Kleindienst data automatic action (`axackdds.dll`)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Notes:	Functionality can no longer be guaranteed with the technology in use.
Upgrade recommendation:	None
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Will be removed from the setup.
Notes on functionality after lifecycle end:	Component no longer available.

AXVBINAB

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 10.0
Notes:	This component is a subprogram of enaio® capture.
Upgrade recommendation:	Use enaio® database synchronization – <code>OptimalSystems.enaio.inap.capture.exe</code>
Hotline and support:	Up to and including version 9.10.
Bug fixes:	Up to and including version 9.10.
Effects in setup:	Will be removed from the setup.
Notes on functionality after lifecycle end:	Component no longer available.

Editor for log configuration (`axprotocolcfg.exe`)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with:	enaio® version 10.0 (31 May 2021)
Notes:	It is still possible to maintain log configurations via <code>axrptcfg.exe</code> using the GUI.
Upgrade recommendation:	None
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Component no longer available.
Notes on functionality after lifecycle end:	

enaio® 32-bit server

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Notes:	The 32-bit server can no longer be reinstalled as of enaio® version 10.0.
Upgrade recommendation:	You can find the description of how to switch from a 32-bit server to a 64-bit system in the Documentation Portal here .
Hotline and support:	Up to and including Version 10.10.
Bug fixes	Up to and including version 10.0.
Effects in setup:	Will be removed from the setup.
Note on functionality after lifecycle end:	Code no longer available.

enaio® contentfeeder

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Notes:	enaio® contentfeeder allows you to access RSS feeds containing user-specific subscription, follow-up, and workflow data from enaio® using an RSS reader. If enaio® webclient is integrated into enaio®, the user can open an object directly or launch the workflow step via the RSS feed.
Upgrade recommendation:	The component will be removed and will not be replaced.
Hotline and support:	No

Bug fixes:	No
Effects in setup:	Will be removed from the setup.
Note on functionality after lifecycle end:	Code no longer available.

enaio® feedreader

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Notes:	enaio® feedreader can regularly query the RSS feeds of any provider, save them as electronic mail files, and generate an XML file that is used to transfer these electronic mail files to enaio® as e-mail objects with an automatic import action. Both feed components are installed via the <code>os_feed.war</code> web archive and configured using the shared configuration file <code>config.properties</code> .
Upgrade recommendation:	The component will be removed and will not be replaced.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Will be removed from the setup.
Note on functionality after lifecycle end:	Code no longer available.

enaio® http-service

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
-------------------------------	--

Lifecycle ends with:	enaio® version 10.0 (31 May 2021)
Note:	The enaio® http-service is used to display documents from the enaio® system directly in the browser or to transfer them to HTTP clients. The component can be used by other web applications to display documents directly in the browser window, for example. The <code>osecmhttpservice.war</code> web archive is located in the installation data in the <code>\components\HTTP-Service</code> directory.
Upgrade recommendation:	enaio® appconnector or enaio® dms-service
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Will be removed from the setup.
Note on functionality after lifecycle end:	Code no longer available.

enaio® Outlook add-in (docstorage)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with:	enaio® version 10.0 (31 May 2021)
Notes:	
Upgrade recommendation:	Use the enaio® Outlook Add-In NG.
Hotline and support:	Up to and including Version 10.10.
Bug fixes:	Up to and including Version 10.10.
Effects in setup:	Will be removed from the setup.
Notes on functionality after lifecycle end:	Component no longer available.

enaio® search

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 10.10
Notes:	
Upgrade recommendation:	Use enaio® search NG.
Hotline and support:	Up to and including version 10.0.
Bug fixes:	Up to and including version 10.0.
Effects in setup:	Component no longer available.
Notes on functionality after lifecycle end:	

enaio® server-api

Affected functions	STD.PackDirectory, STD.ZipDocument
Type of lifecycle end:	Removing the functions from the API.
Lifecycle ends with release:	enaio® version 10.10
Notes:	Discontinued. These are functions for the CAB file format, which can no longer be supported in this way due to file size limitations.
Upgrade recommendation:	Use alternative functions of the operating system to combine document files in an archive, for example.
Hotline and support:	Until version 10.10 is released.
Bug fixes:	Until version 10.10 is released.
Effects in setup:	Will be removed from the enaio® server-api with version 10.10.

Notes on functionality after lifecycle end:	Code removed with the release of version 10.10.
--	---

enaio[StorageforEMC (Cluster)]

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Notes:	EMC Centera has been discontinued by the manufacturer. ECS is the successor product. It is possible to migrate the legacy data from Centera to ECS.
Upgrade recommendation:	Use enaio[StorageforEMC].
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Component no longer available.
Notes on functionality after lifecycle end:	

enaio® webclient non-responsive form design

Type of lifecycle end:	The non-responsive design for displaying index data forms will no longer be available.
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)

Notes:	The transition phase for converting forms to the responsive design will end with version 10.0. The responsive form design available since enaio® version 9.0 (2018) will be used automatically. The administration console of enaio® webclient could previously be used to revert the display back to the non-responsive design. This option will no longer be available.
Upgrade recommendation:	If the non-responsive design is still being used in individual projects, then check whether the index data forms are suitable for the responsive design when upgrading to version 10.0. You can find more information on this in the Documentation Portal here .
Hotline and support:	No
Bug fixes	No
Effects in setup:	None (directly integrated into enaio® webclient)
Note on functionality after lifecycle end:	The non-responsive design for displaying index data forms will no longer be available. All forms will be displayed using the responsive design accordingly.

enaio® webservice (OSWS)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 10.10

Notes:	Discontinued since there is a technical successor. The software continued to be maintained until version 10.0. From version 10.10, only the technical successor product will still continue to be developed and maintained.
Upgrade recommendation:	Use the DMS service for enaio®. A different access library can also be used as an alternative.
Hotline and support:	Until version 11.0 is released.
Bug fixes:	Until version 11.0 is released.
Effects in setup:	Will be removed from the setup with version 11.0.
Notes on functionality after lifecycle end:	Code removed with the release of version 11.0.

enaio® WinApp support for the SAP GUI

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Notes:	enaio® WinApp will no longer be compatible with newer versions of SAP GUI starting from Version 7.50, which means they can no longer be used. Components: axvbwinapp.exe und axvbwinapp.ini.
Upgrade recommendation:	The enaio® jump2ecm component is available as an alternative.
Hotline and support:	No
Bug fixes	No
Effects in setup:	The application is still available.

Notes on functionality after lifecycle end:	Only the code that relates to the SAP GUI aspect is removed.
--	--

Feature: 'Inbox in enaio® client' (enaio® version 8.50)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 8.50
Note:	
Upgrade recommendation:	
Hotline and support:	No
Bug fixes:	No
Effects in setup:	No setup, enaio® client feature
Notes on functionality after lifecycle end:	Code removed from version 8.50.

MSI installer `enaio-webclient-app-x86.msi` for enaio® webclient as a desktop application

Type of lifecycle end:	Delivery of the MSI installer <code>enaio-webclient-app-x86.msi</code> will be discontinued.
Lifecycle ends with release:	enaio® version 10.10
Notes:	With the release of version 10.10, the MSI installer <code>enaio-webclient-app-x86.msi</code> will no longer be available (32-bit desktop application).
Upgrade recommendation:	The MSI installer <code>enaio-webclient-app-x64.msi</code> will still be available for installing the desktop application of enaio® webclient (64-bit desktop application).

Hotline and support:	Remains in place until the lifecycle end.
Bug fixes:	Remains in place until the lifecycle end.
Effects in setup:	Remains in place until the lifecycle end.
Notes on functionality after lifecycle end:	With the release of version 10.10, the MSI installer <code>enaio-webclient-app-x86.msi</code> will no longer be available.

Research add-on (`axaddb1n.dll`)

Type of lifecycle end:	Will no longer be upgraded.
Lifecycle ends with:	enaio® version 10.0 (31 May 2021)
Notes:	This add-on can be used to create references to other object types on an index data form. The referenced objects will be found via similar index data. The add-on does not take a rights system into consideration for references.
Upgrade recommendation:	None
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Add-on will not be maintained, meaning it remains "as is" in the setup until further notice.
Notes on functionality after lifecycle end:	

enaio® Release

enaio® contentminer (enaio® version 8.50)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 8.50
Note:	Discontinuation
Upgrade recommendation:	n.a.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Component no longer available.
Notes on functionality after lifecycle end:	Code removed from version 8.50.

enaio® mobile for smartphone and tablet on operating systems that are no longer undergoing maintenance

Type of lifecycle end:	enaio® mobile will no longer be maintained on operating systems that the manufacturer is no longer maintaining (Android <11 and iOS <15).
Lifecycle ends with release:	With the release of enaio® version 11.0, in the course of which a new version of enaio® mobile is made available via the stores.
Notes:	There is only one single version of enaio® mobile that is used for all product versions.
Upgrade recommendation:	Update the operating system to one of the supported versions.
Hotline and support:	Not applicable for enaio® mobile for devices with operating system versions Android <11 and iOS <15.

Bug fixes:	Not applicable for enaio® mobile for devices with operating system versions Android <11 and iOS <15.
Effects in setup:	
Notes on functionality after lifecycle end:	An update is provided for the current version of enaio® mobile that informs the user when their operating system will no longer be supported in the future. These users will then no longer be able to use the new version of enaio® mobile with the release of enaio® 11.0.

enaio® sync (enaio® version 9.0)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 9.0
Note:	Discontinuation
Upgrade recommendation:	n.a.
Hotline and support:	Yes, as long the version is still in maintenance.
Bug fixes:	No
Effects in setup:	Component no longer available.
Notes on functionality after lifecycle end:	Code removed from version 8.50.

enaio® Version 7.50, enaio® Version 8.10 (enaio®version 9.0)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio®version 9.0

Notes:	version 8.50 will continue to be maintained after version 9.0 has been released. Versions 7.50, 8.0, and 8.10 will be discontinued.
Upgrade recommendation:	Plan to upgrade now.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	New setup for the release.
Notes on functionality after lifecycle end:	

enaio® Version 8.0 (enaio®version 8.50)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio®version 8.50
Notes:	<p>Versions 8.50, 8.10, and 7.50 will continue to be maintained after version 8.50 has been released. Version 8.0 will be discontinued.</p> <p>See PM information "enaio® 8.x and 7.x Discontinuation Information."</p>
Upgrade recommendation:	Upgrade to the latest enaio® release available at any given time.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	New setup for the release.
Notes on functionality after lifecycle end:	

enaio version 8.50, enaio® version 9.0 (enaio®version 10.0)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio®version 10.0
Notes:	version 9.10 will continue to be maintained after version 10.0 has been released. Versions 8.50, and 9.0 will be discontinued.
Upgrade recommendation:	Plan to upgrade now.
Hotline and support:	Yes
Bug fixes:	No
Effects in setup:	Component no longer available.
Note on functionality after lifecycle end:	

Integrated Third-party Software

Full-text connection to RetrievalWare

Type of lifecycle end:	There is no longer a connection to the RetrievalWare full-text engine since the 32-bit server was removed with the release of enaio® 10.0.
Lifecycle ends with release:	enaio® version 10.0
Notes:	Use Lucene (OSFTS) as the full-text engine available in enaio®
Upgrade recommendation:	
Hotline and support:	
Bug fixes:	
Effects in setup:	

Notes on functionality after lifecycle end:	
--	--

DSDE

Type of lifecycle end:	Starting with version enaio® 10.10, AD Sync is switching from the previous connection via DSDE to the third-party "Softerra LDAP Browser" tool.
Lifecycle ends with release:	enaio® version 10.10
Notes:	No longer supported by Microsoft.
Upgrade recommendation:	Laimex, Softerra Browser
Hotline and support:	No
Bug fixes:	No
Effects in setup:	
Notes on functionality after lifecycle end:	The DSDE modules previously available in the setup have been removed from the setup in version enaio® 10.10.

enaio® acrobat-utilities (enaio® version 10.0)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 10.0
Note:	
Upgrade recommendation:	n. a.
Hotline and support:	Yes
Bug fixes:	No
Effects in setup:	Component no longer available.

Note on functionality after lifecycle end:	
---	--

Licensed Products Within Release

IBM Notes Add-In (enaio® version 8.50)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 8.50
Notes:	Will no longer be sold due to lack of market response. Live installations at customer sites will continue to be supported in accordance with the maintenance agreement (hotline, bug fixes). Compatibility with the latest versions of Notes no longer guaranteed.
Upgrade recommendation:	Do not use feature. Replace feature drag and drop.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Component no longer available.
Note on functionality after lifecycle end:	Can no longer be installed from version 9.0.

Third-party Software Used

Microsoft Windows 8.1

Type of lifecycle end:	Microsoft has discontinued Windows 8.10, meaning it is no longer possible to ensure that enaio® 10.10 will run smoothly on Windows 8.10 in the future.
-------------------------------	--

Lifecycle ends with:	enaio® version 10.10
Notes:	We ask that you update any computers used in your projects that are running on Windows 8.10 with a more recent Windows version as soon as possible.
Upgrade recommendation:	
Hotline and support:	
Bug fixes:	
Effects in setup:	
Notes on functionality after lifecycle end:	

Internet Explorer (enaio® version 9.0)

Type of lifecycle end:	Support for IE 11 and older versions for displaying the webclient and preview window.
Lifecycle ends with:	enaio® version 9.0
Note:	Use Chrome, Firefox, or Edge.
Upgrade recommendation:	
Hotline and support:	
Bug fixes:	
Effects in setup:	
Note on functionality after lifecycle end:	

Upcoming Discontinuations for enaio® Versions 11.0 and Later

Hinweis: The following versions are undergoing maintenance: version 10.10 and version 11.0 with the release of enaio® version 11.0 on 30 June 2023.

Version Information

Release	End of life date
10.0	With the release of version 11.0 on 30 June 2023.
9.10	With the release of version 11.0 on 30 June 2023.
9.0 SP1	With the release of version 10.0 on 31 May 2021.
8.50 SP1	With the release of version 10.0 on 31 May 2021.
8.10 SP1	Since 2019 with the release of version 9.0.
8.0	Since 2018 with the release of version 8.50.

The following components will be discontinued with the release of enaio® version 11.0 and later:

Address add-on

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 12.0
Notes:	Discontinued from version 11.0.
Upgrade recommendation:	Use the Fieldmapping add-on .
Hotline and support:	Up to and including version 11.10.
Bug fixes:	Up to and including version 11.10.
Effects in setup:	Will be removed from the setup.
Notes on functionality after lifecycle end:	Component no longer available.

axCaptureExport

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 11.0
Notes:	This component is a subprogram of enaio® capture.
Upgrade recommendation:	Use enaio® capture-to-classify. This new development is to be made available for version 11.0.
Hotline and support:	Remains in place until the lifecycle end.
Bug fixes:	Remains in place until the lifecycle end.
Notes on functionality after lifecycle end:	Component no longer available.

Client API feature: AppBrowserSession

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 11.0
Notes:	Provides a Chromium browser session that serves as a connection between the client and a web server. This can be used to trigger actions in the client via the browser's JavaScript interface. If a URL is configured, it is loaded once as soon as the client is started. The browser session is configured via <code>as.cfg</code> .
Upgrade recommendation:	None
Hotline and support:	Up to and including version 10.10.
Bug fixes:	Up to and including version 10.10.

Effects in setup:	Will be removed from the product.
Notes on functionality after lifecycle end:	Feature no longer available.

enaio® appconnector

Type of lifecycle end:	Will no longer be upgraded (maintenance and sales will continue).
Lifecycle ends with release:	Future version after enaio® version 11.0.
Notes:	Discontinued since there is a technical successor. The software was further developed and maintained until version 10.0. As of version 10.0, only the technical successor product will continue to be developed and maintained and the enaio® appconnector will only be maintained; they will not receive new features.
Upgrade recommendation:	The DMS microservice is available as an alternative. Although this currently has a significantly reduced scope in terms of functionality, it does feature a new technology stack: a scalable, cloud-enabled microservice built for large systems. The long-term goal is to let this REST API grow steadily and to align its range of functions with those in enaio® appconnector. Should you have any specific requests regarding new projects, please contact pm@optimal-systems.de directly.
Hotline and support:	Remains in place until the lifecycle end.
Bug fixes:	Remains in place until the lifecycle end.
Effects in setup:	Remains in place until the lifecycle end.

Notes on functionality after lifecycle end:	API will be discontinued upon lifecycle end.
--	--

enaio® app for Smartphones and Tablets

Type of lifecycle end:	Will no longer be upgraded (maintenance will continue).
Lifecycle ends with release:	Future version after enaio® version 10.10.
Notes:	Will be discontinued since enaio® mobile is available as a replacement for the application. enaio® app was further developed until version 8.50. As of version 9.0, only the successor product will continue to be developed and maintained and only enaio® app will be maintained; they will not receive new features.
Upgrade recommendation:	enaio® mobile for the iOS and Android mobile platforms will be available as an alternative from version 9.0. This provides a much more expansive list of functions than the enaio® app. The only function not available is the offline editing of workflows.
Hotline and support:	Remains in place until the lifecycle end.
Bug fixes:	Remains in place until the lifecycle end.
Effects in setup:	Remains in place until the lifecycle end.
Notes on functionality after lifecycle end:	enaio® app will be discontinued upon the lifecycle end.

enaio® capture (configuration, separation and import, subprogram "AXMAILDC")

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 11.0
Notes:	AXMAILDC Pages are separated into documents, they are not imported but sent as e-mail message attachments.
Upgrade recommendation:	Component will be removed and will not be replaced.
Hotline and support:	Up to and including version 10.10.
Bug fixes:	Up to and including version 10.10.
Effects in setup:	Will be removed from the setup.
Notes on functionality after lifecycle end:	The component is no longer available.

enaio® cold (data import – configuration, COLD import)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 11.0
Notes:	Import COLD data via the automatic action 'ASCOLD Import'.
Upgrade recommendation:	Component will be removed and will not be replaced.
Hotline and support:	Up to and including version 10.10.
Bug fixes:	Up to and including version 10.10.
Effects in setup:	Will be removed from the setup.
Notes on functionality after lifecycle end:	The component is no longer available.

enaio® documentviewer – Image-based content preview

Type of lifecycle end:	The image-based content preview will be removed from enaio® documentviewer.
Lifecycle ends with release:	Future version after enaio® version 11.0.
Notes:	Will be discontinued, as the replacement, the PDF-based content preview (PDF.js), has been integrated and set as the default option since version 9.0. The image-based content preview will remain available as a transitional solution until the lifecycle ends.
Upgrade recommendation:	The image-based content preview will be removed completely and replaced by the PDF preview .
Hotline and support:	Remains in place until the lifecycle end.
Bug fixes:	Remains in place until the lifecycle end.
Effects in setup:	Remains in place until the lifecycle end.
Notes on functionality after lifecycle end:	The image-based content preview will be discontinued upon lifecycle end and will no longer be available with enaio® documentviewer.

enaio® exchange – MAPI interface

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 11.0.
Notes:	Discontinued since version 9.0 SP1.
Upgrade recommendation:	Use Exchange Web Services (EWS).
Hotline and support:	Remains in place until the lifecycle end.
Bug fixes:	Remains in place until the lifecycle end.

Effects in setup:	Will be removed from the setup.
Notes on functionality after lifecycle end:	Component no longer available.

enaio® mediamanagement

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 11.0
Notes:	Components for media import, media export, and catalog printing.
Upgrade recommendation:	None
Hotline and support:	Up to and including version 10.10.
Bug fixes:	Up to and including version 10.10.
Effects in setup:	Will be removed from the setup.
Notes on functionality after lifecycle end:	The media export and catalog printing components are no longer available.

enaio® office-utilities

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 11.0
Notes:	enaio® office-utilities provide you with features that make it easier for you to work with W-Documents. The features are integrated into Microsoft Office products via the ENAIO tab on the menu bar.

Upgrade recommendation:	enaio® Office Add-In NG and enaio® data-transfering (beta)
Hotline and support:	Up to and including version 10.10.
Bug fixes:	Up to and including version 10.10.
Effects in setup:	Will be removed from the setup.
Notes on functionality after lifecycle end:	The component is no longer available.

enaio® webservices (OSWS)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 10.10
Notes:	Discontinued since there is a technical successor. The software continued to be maintained until version 10.0. From version 10.10, only the technical successor product will still continue to be developed and maintained.
Upgrade recommendation:	Use the DMS service for enaio®. A different access library can also be used as an alternative.
Hotline and support:	Until version 11.0 is released.
Bug fixes:	Until version 11.0 is released.
Effects in setup:	Will be removed from the setup with version 11.0.
Notes on functionality after lifecycle end:	Code removed with the release of version 11.0.

Catalog add-on

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 12.0
Notes:	Discontinued from version 11.0.
Upgrade recommendation:	Use the Treeview add-on or the SQL add-on .
Hotline and support:	Up to and including version 11.10.
Bug fixes:	Up to and including version 11.10.
Effects in setup:	Will be removed from the setup.
Notes on functionality after lifecycle end:	Component no longer available.

Clauses for access rights – old syntax

Type of lifecycle end:	Will no longer be supported.
Lifecycle ends with release:	enaio® version 11.10
Notes:	Discontinued from version 11.0. Clauses for access right were introduced with version 8.0. The syntax for version 8.50 has been updated in order to simplify use and readability.
Upgrade recommendation:	Clauses that still use the old syntax must be adapted to the new syntax.
Hotline and support:	Ends with the release of version 11.0.
Bug fixes:	Ends with the release of version 11.0.
Effects in setup:	Will be removed from the setup in a future version after version 11.0.
Notes on functionality after lifecycle end:	Code will be removed in a future version after version 11.0.

MailFix

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 11.0
Note:	E-mails saved in enaio® server using a version of enaio® Outlook Add-in (document-storage) that is older than version 9.0 contain a flag that causes the e-mails to be opened in edit mode when opened via Microsoft Outlook. MailFix searches all EML e-mails that are stored in enaio® server and resets the UNSENT flag if necessary.
Upgrade recommendation:	None
Hotline and support:	Up to and including version 10.10.
Bug fixes:	Up to and including version 10.10.
Effects in setup:	Will be removed from the product.
Notes on functionality after lifecycle end:	Feature no longer available.

'Messaging' microservice

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 11.0
Note:	The 'Messaging' microservice is a component that was never fully developed to completion and is not used by any other component in the enaio® system.
Upgrade recommendation:	No action required. A new messaging solution for backend microservices is being planned.

Hotline and support:	Ends with the release of version 11.0.
Bug fixes:	Ends with the release of version 11.0.
Effects in setup:	Will be removed from the setup.
Notes on functionality after lifecycle end:	Code is removed.

'Tagging' microservice

Type of lifecycle end:	Will no longer be maintained.
Lifecycle ends with release:	enaio® version 11.0
Notes:	At the moment, the 'Tagging' microservice only acts as a placeholder and is not used by any component within the enaio® system.
Upgrade recommendation:	No action required. The microservice will be replaced by a new microservice, 'Tagging', (or a similar microservice with a different name) with a future version of enaio®.
Hotline and support:	Ends with the release of version 11.0.
Bug fixes:	Ends with the release of version 11.0.
Effects in setup:	Will be removed from the setup.
Notes on functionality after lifecycle end:	Code is removed.

Microsoft SQL ODBC Driver

Type of lifecycle end:	Will no longer be supported.
Lifecycle ends with release:	enaio® version 11.0

Notes:	This driver may cause problems with ADO connections in Unicode installations. This is because of the columns that have an NVARCHAR (MAX) data type, which were introduced in enaio® version 10.10. The data in these columns is not read from the respective tables correctly. This means that it is not possible to create queries containing these columns.
Upgrade recommendation:	The SQL Server ODBC driver must be used for Unicode systems in enaio® version 10.10 and later. This is in the system by default after a Windows installation. We also recommend using the SQL Server ODBC driver for ANSI installations, as the MS ODBC Driver for SQL Server will be discontinued as of enaio® version 11.0.
Hotline and support:	Remains in place for ANSI systems until the lifecycle end.
Notes on functionality after lifecycle end:	No longer supported.

ossysrtransfer/axsysrtransfer

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold.
Lifecycle ends with release:	enaio® version 11.0
Notes:	axsysrtransfer is a tool that allows you to import specific system components under certain conditions during the setup process.
Upgrade recommendation:	Component will be removed and will not be replaced.

Hotline and support:	Up to and including enaio® version 10.10.
Bug fixes:	Up to and including enaio® version 10.10.
Effects in setup:	Will be removed from the setup.
Notes on functionality after lifecycle end:	The component is no longer available.



OPTIMAL SYSTEMS
A KYOCERA GROUP COMPANY

Head office

Cicerostraße 26

10709 Berlin

Telefon: +49 30 895708-0

kontakt@optimal-systems.de