

enaio®



OPTIMAL SYSTEMS
A KYOCERA GROUP COMPANY

Product Lifecycles

enaio®

Version 9.10

Last update: 3/28/2023



All software products and all related programs and functions are registered and/or used trademarks of OPTIMAL SYSTEMS GmbH, Berlin or one of its companies. They may only be used with a valid license agreement. The software and its associated documentation are protected by German and international copyright law. Unauthorized duplication and sales is plagiarism and subject to criminal prosecution. All rights reserved, including reproduction, transmission, translation, and storage with/on all kinds of media. For all preconfigured test scenarios or demo presentations: all company and person names which occur in examples or screenshots are fictional. Any resemblance to existing companies or persons is purely coincidental and unintentional.

Copyright: 1992-2023

OPTIMAL SYSTEMS GmbH

Cicerostraße 26

D-10709 Berlin



Table of Contents

enaio® version 9.10 Product Lifecycle Information	4
enaio® version 9.10 End of Life Information	4
Upcoming Discontinuations for enaio® version 10.0	10

enaio® version 9.10 Product Lifecycle Information

The following pages contain information about enaio® products that are no longer supported and upcoming discontinuations for enaio® version 9.10.

enaio® version 9.10 End of Life Information

General

enaio® axoutlookpreview.exe

Type of lifecycle end:	
Lifecycle ends with:	
Note:	
Upgrade recommendation:	Function in enaio®
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Component no longer available
Note on functionality after lifecycle end:	No longer available from enaio® version 10.0, replaced by enaio® preview

enaio® Licensed Product

Directory synchronization automatic action (with graphic configuration) in enaio® (1 June 2016)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
-------------------------------	---

Lifecycle ends with release:	enaio® Version 8.10 (1 June 2016)
Note:	Discontinued since there is a technical successor. The software will continue to be maintained until version 8.50. From version 8.50, only the technical successor product will continue to be developed and maintained.
Upgrade recommendation:	Use the alternative automatic action available since version 8.10 for directory synchronization with XSLT in new projects. Convert existing projects to the automatic action mentioned above from version 8.50 at the latest.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Yes, technical "XSLT" successor
Note on functionality after lifecycle end:	Code removed in version 8.50, technical successor in setup

Inbox feature in enaio® client (enaio® version 8.50)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 8.50
Note:	
Upgrade recommendation:	
Hotline and support:	No
Bug fixes:	No
Effects in setup:	No setup, enaio® client feature
Note on functionality after lifecycle end:	Code removed from version 8.50

enaio® Release

enaio® Version 8.0 (enaio® version 8.50)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 8.50
Note:	<p>Versions 8.50, 8.10, and 7.50 will continue to be maintained after version 8.50 has been released. Version 8.0 will be discontinued.</p> <p>See PM information "enaio® 8.x and 7.x Discontinuation Information"</p>
Upgrade recommendation:	Upgrade to the latest enaio® release available at any given time
Hotline and support:	No
Bug fixes:	No
Effects in setup:	New setup for the release
Note on functionality after lifecycle end:	

enaio® Version 7.50, enaio® Version 8.10 (enaio® version 9.0)

Type of lifecycle end:	ADVANCE NOTICE – Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 9.0
Note:	<p>version 8.50 will continue to be maintained after version 9.0 has been released. Versions 7.50, 8.0, and 8.10 will be discontinued.</p> <p>See PM information "enaio® 8.x and 7.x Discontinuation Information"</p>

Upgrade recommendation:	Plan to upgrade now
Hotline and support:	No
Bug fixes:	No
Effects in setup:	New setup for the release
Note on functionality after lifecycle end:	

enaio® contentminer (enaio® version 8.50)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 8.50
Note:	Discontinuation
Upgrade recommendation:	n.a.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Component no longer available.
Note on functionality after lifecycle end:	Code removed from version 8.50

enaio® sync (enaio® version 9.0)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 9.0
Note:	Discontinuation
Upgrade recommendation:	n.a.
Hotline and support:	Yes, as long the version is still in maintenance

Bug fixes:	No
Effects in setup:	Component no longer available
Note on functionality after lifecycle end:	Code removed from version 8.50

enaio version 8.50, enaio® version 9.0 (enaio® version 10.0)

Type of lifecycle end:	ADVANCE NOTICE – Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 10.0
Note:	version 9.10 will continue to be maintained after version 10.0 has been released. Versions 8.50, and 9.0 will be discontinued. See PM information “enaio® 8.x and 7.x Discontinuation Information”
Upgrade recommendation:	Plan to upgrade now.
Hotline and support:	Yes
Bug fixes:	No
Effects in setup:	Component no longer available.
Note on functionality after lifecycle end:	

Integrated Third-party Software

enaio® acrobat-utilities (enaio® version 10.0)

Type of lifecycle end:	ADVANCE NOTICE – Will no longer be maintained, upgraded, or sold
-------------------------------	--

Lifecycle ends with release:	enaio® version 10.0
Note:	
Upgrade recommendation:	n.a.
Hotline and support:	Yes
Bug fixes:	No
Effects in setup:	Component no longer available.
Note on functionality after lifecycle end:	

Licensed Products Within Release

IBM Notes Add-In (enaio® version 8.50)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 8.50
Note:	Will no longer be sold due to lack of market response; live installations at customer sites will continue to be supported in accordance with the maintenance agreement (hotline, bug fixes). Compatibility with the latest versions of Notes no longer guaranteed.
Upgrade recommendation:	Do not use feature. Replace feature drag and drop.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Component no longer available.
Note on functionality after lifecycle end:	Can no longer be installed from version 9.0.

Third-party Software Used

Internet Explorer (enaio® version 9.0)

Type of lifecycle end:	Support for IE 11 and older versions for displaying the webclient and preview window
Lifecycle ends with:	enaio® version 9.0
Note:	Use Chrome, Firefox, or Edge.
Upgrade recommendation:	
Hotline and support:	
Bug fixes:	
Effects in setup:	
Note on functionality after lifecycle end:	

Upcoming Discontinuations for enaio® version 10.0

The following components will be discontinued with the release of enaio® version 10.0:

AXVBINAB

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Note:	This component is a subprogram of enaio® capture.
Upgrade recommendation:	Use enaio® inap NG instead.
Hotline and support:	Up to and including Version 9.10
Bug fixes	Up to and including version 10.0
Effects in setup:	Will be removed from the setup.

Note on functionality after lifecycle end:	Component no longer available.
---	--------------------------------

enaio® 32-bit server

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Note:	32-bit server can no longer be reinstalled from enaio® version 10.0.
Upgrade recommendation:	You can find the description of how to switch from a 32-bit server to a 64-bit system in the Documentation Portal here .
Hotline and support:	Up to and including Version 9.10
Bug fixes	Up to and including version 10.0
Effects in setup:	Will be removed from the setup.
Note on functionality after lifecycle end:	Code no longer available.

enaio® webclient non-responsive form design

Type of lifecycle end:	The non-responsive design for displaying index data forms will no longer be available.
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)

Notes:	The transition phase for converting forms to the responsive design will end with version 10.0. The responsive form design available since enaio® version 9.0 (2018) will be used automatically. The administration console of enaio® webclient could previously be used to revert the display back to the non-responsive design. This option will no longer be available.
Upgrade recommendation:	If the non-responsive design is still being used in individual projects, then check whether the index data forms are suitable for the responsive design when upgrading to version 10.0. You can find more information on this in the Documentation Portal here .
Hotline and support:	No
Bug fixes	No
Effects in setup:	None (directly integrated into enaio® webclient)
Note on functionality after lifecycle end:	The non-responsive design for displaying index data forms will no longer be available. All forms will be displayed using the responsive design accordingly.

enaio® WinApp support for the SAP GUI

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)

Notes:	enaio® WinApp will no longer be compatible with newer versions of SAP GUI starting from Version 7.50, which means they can no longer be used. Components: <code>axvbwinapp.exe</code> und <code>axvbwinapp.ini</code>
Upgrade recommendation:	The enaio® jump2ecm component is available as an alternative.
Hotline and support:	No
Bug fixes	No
Effects in setup:	Will be removed from the setup.
Note on functionality after lifecycle end:	Code no longer available.

enaio® feedreader

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Note:	enaio® feedreader can regularly query the RSS feeds of any provider, save them as electronic mail files, and generate an XML file that is used to transfer these electronic mail files to enaio® as e-mail objects with an automatic import action. Both feed components are installed via the <code>os_feed.war</code> web archive and configured using the shared configuration file <code>config.properties</code> .
Upgrade recommendation:	The component will be removed and will not be replaced
Hotline and support:	No

Bug fixes:	No
Effects in setup:	Will be removed from the setup.
Note on functionality after lifecycle end:	Code no longer available.

enaio® contentfeeder

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Notes:	enaio® contentfeeder allows you to access RSS feeds containing user-specific subscription, follow-up, and workflow data from enaio® using an RSS reader. If enaio® webclient is integrated into enaio®, the user can open an object directly or launch the workflow step via the RSS feed.
Upgrade recommendation:	The component will be removed and will not be replaced
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Will be removed from the setup.
Note on functionality after lifecycle end:	Code no longer available.

enaio® http-service

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with:	enaio® version 10.0 (31 May 2021)

Note:	The enaio® http-service is used to display documents from the enaio® system directly in the browser or to transfer them to HTTP clients. The component can be used by other web applications to display documents directly in the browser window, for example. The <code>osecmhttpservice.war</code> web archive is located in the installation data in the <code>\components\HTTP-Service</code> directory.
Upgrade recommendation:	enaio® appconnector or enaio® dms-service
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Will be removed from the setup.
Note on functionality after lifecycle end:	Code no longer available.

enaio® Outlook add-in (docstorage)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with:	enaio® version 10.0 (31 May 2021)
Notes:	
Upgrade recommendation:	Use the enaio® Outlook Add-In NG.
Hotline and support:	Up to and including Version 9.10.
Bug fixes:	Up to and including Version 9.10.
Effects in setup:	Will be removed from the setup.
Notes on functionality after lifecycle end:	Component no longer available.

Query add-on (axaddbln.dll)

Type of lifecycle end:	Will no longer be upgraded
Lifecycle ends with:	enaio® version 10.0 (31 May 2021)
Notes:	This add-on can be used to create references to other object types on an index data form. The referenced objects will be found via similar index data. The add-on does not take a rights system into consideration for references.
Upgrade recommendation:	None
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Add-on will not be maintained, meaning it remains "as is" in the setup until further notice.
Notes on functionality after lifecycle end:	

Editor for log configuration (axprotocolcfg.exe)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with:	enaio® version 10.0 (31 May 2021)
Notes:	It is still possible to maintain log configurations via oxrtpcfg.exe using the GUI.
Upgrade recommendation:	None
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Component no longer available.
Notes on functionality after lifecycle end:	

axacdirectorysync, "synchronization directory" configuration, directory synchronization automatic action (with graphic configuration) in enaio® (1 June 2016)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 8.50 (1 June 2016)
Note:	Discontinued since there is a technical successor. The software will continue to be maintained until version 8.50. From version 8.50, only the technical successor product will continue to be developed and maintained.
Upgrade recommendation:	Use the alternative automatic action available since version 8.10 for directory synchronization with XSLT in new projects. Convert existing projects to the automatic action mentioned above from version 8.50 at the latest.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Will be removed from the setup for version 9.0.
Note on functionality after lifecycle end:	Code removed in version 8.50, technical successor in setup

PDF/A check automatic action (axacpdfa.dll) and server job CNV.CheckPDFa

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Note:	The old version of pdfaPilot from 2007 will no longer be used.

Upgrade recommendation:	The component will be removed and will not be replaced. Hinweis: Remove in enaio® administrator, if available, automatic actions that use the axacpdfa.dll as well as the entry axacpdfa.dll from the "Additions" (general enaio® configuration).
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Will be removed from the setup.
Note on functionality after lifecycle end:	Code no longer available.

Import of Kleindienst data automatic action (axackdds.dll)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Notes:	Functionality can no longer be guaranteed with the technology in use.
Upgrade recommendation:	None
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Will be removed from the setup.
Notes on functionality after lifecycle end:	Component no longer available.

axlabdms.exe (server directory)

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Note:	This EXE was located directly in the server directory or Win32 for Server64. The functionality of the EXE for testing server jobs is sufficiently covered by AxLabJobs.exe (also from the server directory).
Upgrade recommendation:	Use AxLabJobs.exe
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Will be removed from the setup.
Note on functionality after lifecycle end:	Code no longer available.

enaio[StorageforEMC (Cluster)]

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Notes:	EMC Centera has been discontinued by the manufacturer. ECS is the successor product. It is possible to migrate the legacy data from Centera to ECS.
Upgrade recommendation:	Use enaio[StorageforEMC]
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Component no longer available.

Notes on functionality after lifecycle end:	
--	--

IHE archive driver

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Notes:	
Upgrade recommendation:	n.a.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Component no longer available.
Notes on functionality after lifecycle end:	

IXOS

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	enaio® version 10.0 (31 May 2021)
Notes:	
Upgrade recommendation:	Use of a different LTA solution.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Component no longer available.
Notes on functionality after lifecycle end:	

The following components will receive the status 'deprecated' with the release of enaio® version 10.0:

enaio® appconnector

Type of lifecycle end:	Will no longer be upgraded (maintenance and sales will continue)
Lifecycle ends with release:	Future version after the enaio® version 10.10
Notes:	Discontinued since there is a technical successor. The software was further developed and maintained until version 10.0. As of version 10.0, only the technical successor product will continue to be developed and maintained and the enaio® appconnector will only be maintained; they will not receive new features.
Upgrade recommendation:	The DMS microservice is available as an alternative. Although this currently has a significantly reduced scope in terms of functionality, it does feature a new technology stack: a scalable, cloud-enabled microservice built for large systems. The long-term goal is to let this REST API grow steadily and to align its range of functions with those in enaio® appconnector. Should you have any specific requests regarding new projects, please contact pm@optimal-systems.de directly.
Hotline and support:	Remains in place until the lifecycle end
Bug fixes	Remains in place until the lifecycle end
Effects in setup:	Remains in place until the lifecycle end
Notes on functionality after lifecycle end:	API will be discontinued upon lifecycle end

enaio® webservice

Type of lifecycle end:	Will no longer be maintained, upgraded, or sold
Lifecycle ends with release:	Next version after enaio® version 10.0
Notes:	Discontinued since there is a technical successor. The software will continue to be maintained until version 10.0. From the next subsequent version, only the technical successor product will continue to be developed and maintained.
Upgrade recommendation:	Use enaio® dms-service . A different access library can also be used as an alternative.
Hotline and support:	No
Bug fixes:	No
Effects in setup:	Will be removed from the setup for the next version after version 10.0.
Note on functionality after lifecycle end:	Code will be removed in the next version after version 10.0.



OPTIMAL SYSTEMS
A KYOCERA GROUP COMPANY

Head Office

Cicerostraße 26

10709 Berlin

Telefon: +49 30 895708-0

kontakt@optimal-systems.de